	Application No.	Applicant(a)
		Applicant(s)
Notice of Allowability	10/717,089	CONVERSE ET AL.
, , , , , , , , , , , , , , , , , , ,	Examiner	Art Unit
	Gregg Cantelmo	1745
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not included
1. This communication is responsive to 4/26/06.		
2. ☑ The allowed claim(s) is/are <u>6</u> .		•
3. ☐ Acknowledgment is made of a claim for foreign priority undensity a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have		
2. Certified copies of the priority documents have		
<ol><li>Copies of the certified copies of the priority doc</li></ol>	uments have been received in this	mational stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply of ENT of this application.	complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives	ted. Note the attached EXAMINER's reason(s) why the oath or declarat	S AMENDMENT or NOTICE OF ion is deficient.
5. CORRECTED DRAWINGS ( as "replacement sheets") must	be submitted.	
(a) including changes required by the Notice of Draftsperso	n's Patent Drawing Review ( PTO-9	948) attached
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	e header according to 37 CFR 1.121(d	).
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposi attached Examiner's comment regarding REQUIREMENT FO</li> </ol>	t of BIOLOGICAL MATERIAL m OR THE DEPOSIT OF BIOLOGICA	ust be submitted. Note the L MATERIAL.
Attachment(s)	_	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		tent Application (PTO-152)
	<ol> <li>Interview Summary (I</li> <li>Paper No./Mail Date</li> </ol>	PTO-413),
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/08)</li> <li>Paper No./Mail Date</li> </ol>	7. Examiner's Amendme	ent/Comment
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	8.   Examiner's Statemen	t of Reasons for Allowance
	9.	
	•	

Application/Control Number: 10/717,089

Art Unit: 1745

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

a. On page 6, at line 7, after "2003," insert, -- now abandoned,--.

## Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance: none of the prior art of record appears to teach, fairly suggest or render obvious the invention of claim 6. In particular:

Upon further consideration and clarification with respect to the claimed invention, it is held that while Jung and Koenig teach the use of DC/DC converters for providing a multiple or fractional voltage to the electric energy storage device, neither reference is held to reasonably teach the method of further controlling the voltage provided to said electric energy storage device in response to a voltage related to said load by (c) increasing or (d) decreasing said voltage provided to said electric storage device above or below said multiple or said fraction to increase response of said electric storage device to load transients.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/717,089

Art Unit: 1745

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance.".

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregg Cantelmo whose telephone number is 571-272-1283. The examiner can normally be reached on Monday to Thursday, 8:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gregg Cantelmo Primary Examiner Art Unit 1745

Shy Canto 5/4/66